MXM2630



MONOCHROME WORKGROUP DOCUMENT SYSTEM







"Outstanding Achievement in Innovation" Web User Interface



Enhanced integration and powerful productivity for small to medium size offices and workgroups.

FEATURE RICH AND STRONG VALUE

The Sharp MXM2630 MONOCHROME WORKGROUP DOCUMENT SYSTEM offers crisp output with exceptional ease-of-use. This new model is designed to provide customers with a seamless, intuitive experience, and the confidence in knowing their jobs will come out right the first time, every time. The MXM2630 focuses on value as well as user operability, and draws inspiration from the latest networking and imaging technologies available today.

Key Features

- EASE-OF-USE Sharp's customizable touchscreen display offers a user-friendly graphical interface.
- PRODUCTIVITY Standard copy/print/scan capability out-of-box.

 INTEGRATION – Available Sharp OSA® modules enable easy integration with network applications and cloud services, which can unlock advanced capabilities to help you better manage your workflow.

• Standard **100-sheet reversing single-pass document feeder** scans documents at speeds up-to 80 images per minute (ipm).

- Flexible paper handling supports media up-to 110 lb.
 cover (300 gsm) and up-to 12" x 18" through the paper trays, allowing you to print on a wide variety of media.
- Easily access popular cloud applications, such as Microsoft[®] OneDrive[™] for Business, SharePoint[®] Online, and Google Drive[™] with Sharp's available Cloud Connect features.*
- Network-ready PCL[®] 6 and optional Adobe[®] PostScript[®] 3[™] printing systems combined with available DirectOffice[™] technology lets you direct print PDFs, select Microsoft Office formats, and more!

* Some features require optional equipment.

600 x 600 dpi print resolution provides clear, crisp images and enhanced clarity for fine details such as small text and graphics.

Available wireless networking feature can connect the machine directly to your network or to mobile devices for convenient printing and scanning with the Sharpdesk[®] Mobile App.

- 7" (diagonally measured) customizable touchscreen display enables easy access to features and functions.
- Available Compact PDF feature dramatically reduces the file size of most colour scanned documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.

Shown with compact inner finisher.



Standard 100-sheet reversing document feeder.



Easy-to-use, compact design.



Distribute, access and print documents more easily.



Flexible configurations for any size office.



Sharp is committed to environmental leadership.

* Some features require optional equipment.

From paper handling to networking, the MXM2630 document system will exceed your expectations.

Simple and Intuitive Operation

From the most basic of copy functions, to the most complex scan jobs, the MXM2630 Monochrome Document System will perform them with ease and efficiency. Use one of the Easy Modes for fast, simple operation, with basic functions displayed in large, clearly-labeled tiles and keys. Or for more advanced features, just touch the "Details" button-it's that easy.

The Productivity You Need, the Performance You Want

When it's time to get the job done, the MXM2630 Monochrome Document System is an outstanding performer. Quickly scan documents at speeds up to 80 images per minute. Then use the manual stapling feature on select finishers to restaple your originals. Multiple finishing options give you the output you require, be it stacked, stapled, or saddle-stitched.

Flexible Printing Solutions Help Speed Up Your Office Productivity

The MXM2630 offers standard PCL6 and available Adobe PostScript 3 printing systems to help you speed through all of your output needs with accuracy. And with Google Cloud Print web printing service, you can print from Chromebook™ notebook computers, PCs and more from virtually anywhere.*

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to send documents to the destinations you need and goes beyond traditional network scanning with optional Cloud Connect features. Easily scan documents to Microsoft OneDrive for Business, SharePoint Online, and Google Drive without additional middleware.* You can also print from these cloud applications. With Single Sign-On capability, accessing them is virtually seamless!

Taking care of business safely and securely with environmental commitment in mind.



Sharp Helps Protect Your Business

To help protect employees' privacy and intellectual property, the MXM2630 is armed with a variety of security measures, including features such as data encryption, data overwrite protection, and data erase. Multiple security protocols help restrict access to the device while in operation, and a convenient End-of-Lease feature overwrites all data at time of trade-in. Confidential Printing helps ensure that sensitive documents are kept safe by requiring users to enter a PIN code in order to print them. These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements such as the Personal Information Protection and Electronic Documents Act (PIPEDA).

An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including: planning, design, manufacturing, distribution and product end-of-life management. The MXM2630



adheres to Sharp's Green Products Guidelines in pursuit of these commitments. These guidelines include: designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that

are upgradable, easy to repair, and easy to take apart for recycling. The MXM2630 document system is ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances. This product also has low TEC values. Sharp MFPs are EPEAT® registered.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-tolandfill recycling for Sharp consumables, including: cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid recycling kit for their return to our facility. Please visit http://www.sharp.ca/support-toner.aspx to learn more.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR® annual Excellence in Energy Proficiency Product Design. Sharp was also a previous recipient of the Excellence in Partnership Green Contractor Award and the Evergreen Award from the General Services Administration (GSA) and the Coalition for Government Procurement. These awards recognize environmentally responsible businesses and their efforts on recycling, waste reduction and affirmative procurement practices. For more information about Sharp's environmental leadership including details about energy efficient products, electronics or toner cartridge recycling, please visit http://www.sharp.ca/aboutus-environmental-policy.aspx to learn more.

MXM2630 Specifications

Main Specificati	
MXM2630	Base models include: multitasking controller, 100-sheet
	RSPF and PCL [®] 6 printing systems, network scanning,
	auto duplexing, 1 x 550-sheet paper drawer, 100-sheet
T	bypass tray.
Type	Multi-function digital document system
Display	7" (diagonally measured) colour dot matrix high-resolution touch panel tilting display. 1024 x 600 dots (W-SVGA)
Functions	Copy, print, network print, network scan, document filing
Functions	and fax1
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
copy cyclom	brush development/OPC drum/Belt fusing/white LED exposure
Originals	Sheets and bound documents
Maximum	
Original Size	11" x 17"
Output Size	Min. 5.5" x 8.5", Max. 12" x 18"
Copy Speed	26 ppm (8.5" x 11")
Multiple Copy	Max. 9,999 copies
First Copy Time	Platen Glass: 4.5
(in seconds) ²	RSPF: 7.4
Warm Up Time	27 seconds (from main switch on),
	14 seconds (from power button on)
Magnification	25% to 400% in 1% increments (with RSPF 25%-200%)
Original Feed	100-sheet RSPF with original size detection.
Scan Speed	Copy: Up-to 53 ipm / Scan: Up-to 80 ipm (B&W/Colour)
Original Sizes	5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14", 11" x 17"
Paper Capacity	Standard: 650 Sheets/Maximum: 6,300 Sheets
Paper Feed	Standard: (1) 550-sheet paper drawer (letter/legal/ledger/
System	statement size) and 100-sheet bypass tray (letter/legal/
	ledger/statement/envelope size). Optional: Single,
	double, or triple drawer paper deck (550, 1,100, or
	1,650 sheets), split tandem paper drawer (2,100 sheets
	letter only) plus (1) 550-sheet paper drawer (letter/legal/
Paper Weights	ledger/statement size).
and Types	Paper drawers: 16 lb. bond to 110 lb. cover.
and types	Split tandem drawers: 16 lb. bond to 28 lb. bond. Other paper types include: plain, pre-printed, recycled,
	pre-punched, letterhead and colour paper.
	Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond
	(thin paper), 28 lb. bond-110 lb. cover (heavy paper),
	20-24 lb. bond (Monarch/Com-10 envelope), tab paper
	(letter). Also label paper, gloss paper, pre-printed, recycled,
	pre-punched, letterhead, colour paper and OHP film.
Duplexing	Standard automatic duplex copying and printing
CPU	Up-to 1.4 GHz multi-processor design
Interface	10/100/1000 Base-T Ethernet, USB 2.0: 2 host ports
Internace	(front and rear), 1 available device port (rear), optional wireless
	802.11 b/g/n
Memory	Standard 5 GB copy/print (shared) / Hard Disk Drive: 500 GB
Hard Disk Drive	500 GB
Copy Resolution	Scan: Up-to 600 x 600 dpi Output: Up-to 600 x 600 dpi
Copy Modes	Monochrome/Greyscale
Exposure	Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,
Control	Printed-Photo, Photo, Map, Pale-Colour Document
	Settings: Auto or 9 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Scan-Once Print-Many, electronic sorting, offset-stacking,
	Auto Paper Selection (APS), Auto Magnification Selection
	(AMS), Auto Tray Switching (ATS), black-white reversal,
	blank page skip, book copy, book divide, card shot, centre
	erase, centring, cover pages, dual page copy, edge erase,
	image edit, image preview, insert pages, job build, job
	programs, margin shift, mirror image, mixed size original,
	multi-page enlargement, original count, pamphlet style,
	proof copy, repeat layout, reserve copy, rotated copy,
	stamp, stamp custom image, suppress background, tab
	copy, tab-paper insertion, tandem copy, toner save mode,
	transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1
	multi shot
Account Control	Up-to 1,000 users. Supports user authentication via local,
	LDAP, and Active Directory® for copy, print, scan and
	document management.
Output Tray	Centre Exit Tray (Main): 250 sheets (face down)
Capacity ¹	Job Separator (Upper Tray): 100 sheets (face down)
	Right Side Exit Tray: 100 sheets (face down)

Main Specificati	ons (continued)
	Box, Google® Cloud Print, Google Drive,
Services	OneDrive® for Business, SharePoint® Online
Network	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL,
Protocols	FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL,
Notice of and	LDAP/LDAP-SSL, 802.1x for Windows and Unix.
Network and	Includes: IP/MAC address filtering, protocol filtering, port control, TLS Encryption, Kerberos support, Active
Data Security	Directory integration, data encryption, End-of-Lease,
	data overwrite (up-to 10x), DoD 5220.22-M
Firmware	Flash ROM with local (USB), network update
Management	capability and firmware update 1 to N with
	SRDM (Sharp Remote Device Manager)
Device Setup	Web-based management/cloning with user/administrator
	level login
Service/	Remote Front Panel, remote access to service logs and
Functions	click counts
Accessibility	Free stop tilting front panel, adjustment of key touch sound
Features	and speed, concave key, document feeder free stop, job
	programs, remote front panel, universal grip for paper trays and disable screen timeout
Environmental	International Energy Star Program Ver. 2.0,
Standards	European RoHS, Blue Angel (RAL-UZ205)
Power Source	110-127 V AC, 60 HZ, 15 A Receptacle
Power	· · · · · · · · · · · · · · · · · · ·
Consumption	1.44 kW or less
Weight	Approx. 141 lbs.
Dimensions	Approx. 24" (w) x 26" (d) x 33" (h)
Network Printing	a Svetem
PDL	Standard PCL 6, optional Adobe® PostScript® 3™
Resolution	600 x 600 dpi
Print Speed	26 ppm (8.5" x 11")
Print Drivers	Windows® 7, Windows 8.1, Windows 10, Windows Server®
	2008, Windows Server 2008 R2, Windows Server 2012,
	Windows Server 2012 R2, Windows Server 2016, Windows
	PPD, MAC OS X [®] (including 10.6 to 10.13), all MAC PPD,
	Linux® PPD
Mobile Printing	AirPrint, Android printing framework
Print Features	(Sharp Print Service Plugin), Sharpdesk Mobile ³ Auto configuration, serverless print release, bar code font
i iiii i caluico	printing, carbon copy print, chapter inserts, confidential
	print, continuous printing, custom image registration,
	different cover page/last page/other page, document control,
	document filing, duplex printing, electronic sorting, folding,
	form overlay, hidden pattern print, image rotation, image
	stamp, image type, job bypass print, job retention, layout
	print, margin shift, multiple pamphlet, network tandem print,
	N-up printing, offset stacking, page interleave, pamphlet
	style, poster print, proof print, print and send, punching,
	stapling, tab paper print, tab printing, toner save mode,
	transparency inserts, tray status, user authentication,
Direct Printing	watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, and PNG.
Direct i fillung	Optional: PDF, Compact PDF, Encrypted PDF, PS, DOCX,
	XLSX, and PPTX.
	Methods: FTP, SMB, Web page, Email and USB memory
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS)
Interface	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, Wireless
Operating	Windows 7, Windows 8.1, Windows 10,
Systems and	Windows Server 2008, Windows Server 2008 R2,
Environments	Windows Server 2012, Windows Server 2012 R2,
	Windows Server 2016, Mac OS X 10.6-10.13, UNIX®,
	Linux, Citrix [®] (XenApp 5.0-7.6), Windows Remote Desktop Services, SAP device types ¹
Printing	LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, HTTP,
Protocols	LPD and LPR for Unix
Network Scanni	
Scan Modes	Standard: Colour, monochrome, greyscale
Max. Original	440470
Size Optical	11" x 17"
Resolution	600 dpi
	p.

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Output Modes









Network Scanni	ng System (continued)
Image	Monochrome Scanning: Uncompressed, G3 (MH),
Compression	G4 (MR/MMR)
•	Colour/Greyscale: JPEG (high, middle, low)
	Internet Fax mode: MH/MMR (option)
Scan	Email, Desktop, FTP, Folder (SMB), USB,
Destinations	Internet fax (option), Super G3 fax (option)
Image Formats ¹	Monochrome: TIFF, PDF, PDF/A and Encrypted PDF
	Colour/Greyscale: TIFF, JPEG, PDF, PDF/A, Compact PDF,
	and Encrypted PDF. Internet Fax: TIFF-FX, TIFF-F, and TIFF-S
One-touch	
Destinations	Up-to 2,000 (combined scan destinations)
Group	
Destinations	Up-to 500
Programs	48 (combined)
Max. Jobs	Up-to 100
Enhanced Email	
Integration	Optional Gmail connector, optional Exchange connector
Scanning	HTTP/HTTPS, FTP/FTPS, SMTP/SMTP-SSL/ESMTP, SMB,
Protocols Software	POP3, LDAP, S/MIME
Soltware	Sharpdesk desktop personal document management software (1 user license included), Sharpdesk Mobile (download)
	(Tuser license included), Sharpdesk Mobile (download)
Optional Equipm	aent
MX60ABD	Deluxe Copier Cabinet Base (with front door)
MXDE25N	Stand/1 x 550-sheet Paper Drawer
MXDE26N	Stand/2 x 550-sheet Paper Drawers
MXDE27N	Stand/3 x 550-sheet Paper Drawers
MXDE28N	Stand/1 x 550 + 2,100-sheet Split Tandem Paper Drawers
MXLC17N	3,000-sheet Large Capacity Cassette
	(letter, requires MXDE25N/26N/27N/28N)
MXLT10	Long Paper Feeding Tray
MXFN27N	50-sheet Staple Inner Finisher
MXFN28	1K Stacking 50-sheet Staple Finisher
MXFN29	1K Stacking 50-sheet Staple/Saddle-Stitch Finisher
MXFN30	3K Stacking 65-sheet Staple Finisher
MXFN31	3K Stacking 65-sheet Staple/Saddle-Stitch Finisher
MXRB25N	Paper Pass Unit (required for MXFN28/29/30/31)
MXPN14B	3-Hole Punch Unit (requires MXFN27N)
MXPN15B	3-Hole Punch Unit (requires MXFN28/29)
MXPN16B	3-Hole Punch Unit (requires MXFN30/31)
MXSCX1	Staple Cartridge for MXFN27N/28/29
ARSC2	Saddle-stitch Staple Cartridge for MXFN29
MXSC11	Staple Cartridge for MXFN30/31
MXSC12	Saddle-stitch Staple Cartridge for MXFN31
MXTR19N	Right Side Exit Tray
MXTR20	Job Separator Tray
MXUT10 MXEB18	Utility Table Wireless LAN Adapter
	Compact PDE Kit

MXEB19L

MXEB20L

MXFX15

MXFWX1L

MXPF10

MXPK13L

MXPU10L

MXAMX1L

MXAMX2L

MXAMX3L

MXFR56U

DVENDESV

Sι

ARSU1 ARSV1

Supplies	
MX561NT	Toner Cartridge
MX561NV	Developer
MX560DR	Drum
MX609HB	Toner Collection Container

¹ Some features require optional equipment. See your local dealer.

Compact PDF Kit

OCR Expansion Kit

Fax Expansion Kit

Internet Fax Kit

Bar Code Font Kit

Stamp Cartridge

Adobe PostScript 3 Expansion Kit

Application Integration Module

External Accounting Module

Commercial Data Security Kit

Generic Vendor Interface Kit

Application Communication Module

Direct Print Expansion Kit Stamp Unit (requires ARSV1 Stamp Cartridge)

² May vary depending on product configuration, machine settings and operating

and/or environmental conditions.

³ Go to www.sharp.ca for a list of supported devices and operating systems.



Design and specifications subject to change without notice. Sharp, Sharp OSA, YourSharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive, Google Cloud Print and Chromebook are registered trademarks of Google LLC. PCL is a registered trademark of Hewlett Packard Company. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners. ©2018 Sharp Electronics of Canada Ltd.

